ELSEVIER

Carbohydrate Polymers 33 (1997) 453–455
Published by Elsevier Science Ltd
Printed in Great Britain

CONTENTS OF VOLUME 33

Number 1

1 Novel fibers of *N*-acylchitosan and its cellulose composite prepared by spinning their aqueous xanthate solutions
S. HIRANO, A. USUTANI & T. MIDORIKAWA (Japan)

5 Comparison of ovine, bovine and porcine mucosal heparins and low molecular weight heparins by disaccharide analyses and ^{13}C NMR
D. K. WATT, S. C. YORKE & G. C. SLIM (New Zealand)

13 Chlorination of chitin with sulfuryl chloride under homogeneous conditions
H. TSENG, K. TAKECHI & K.-I. FURUHATA (Japan)

19 Temperature effect on retrogradation rate and crystalline structure of amylose
T.-J. LU, J.-L. JANE & P. L. KEELING (USA)

27 Immobilized *Cratylia mollis* lectin as a potential matrix to isolate plasma glycoproteins, including lecithin-cholesterol acyltransferase
V. L. M. LIMA, M. T. S. CORREIA, Y. M. N. CECHINEL, C. A. M. SAMPAIO (Brazil),
J. S. OWEN (UK) & L. C. B. B. COÊLHO (Brazil)

33 Effect of chitin on nonwoven fabric implant in tendon healing
Y. OKAMOTO (Japan), L. SOUTHWOOD, T. S. STASHAK, R. W. NORRDIN,
A. W. NELSON (USA), S. MINAMI, A. MATSUHASHI, K. KATO & Y. SHIGEMASA (Japan)

39 Development of composite structures in the gellan polysaccharide/sugar system
L. E. WHITTAKER, I. M. AL-RUQAIE, S. KASAPIS & R. K. RICHARDSON (UK)

47 Free radical induced oxidative depolymerisation of chondroitin sulphate and dermatan sulphate
D. OFMAN, G. C. SLIM, D. K. WATT & S. C. YORKE (New Zealand)

57 Adsorption studies with some chelating ion exchange resins derived from guaran
M. AHUJA & A. K. RAI (India)

63 Anticoagulant activity of functionalized dextrans. Structure analyses of carboxymethylated dextran and first Monte Carlo simulations
L. KRENTSEL (Russia), F. CHAUBET (France), A. REBROV (Russia),
J. CHAMPION (France), I. ERMAKOV (Russia), P. BITTOUN, S. FERMANDJIAN (France),
A. LITMANOVICH, N. PLATÉ (Russia) & J. JOZEFONVICZ (France)

73 Molecular characterization of starch by SEC: dependance of the performances on the amylopectin content
Y. CHEN, C. FRINGANT & M. RINAUDO (France)

79 Bibliography of Carbohydrate Polymers

85 Book Reviews

89 Calendar

Number 2/3

91 Colloidal gold and colloidal gold labelled wheat germ agglutinin as molecular probes for identification in mucin-chitosan complexes
I. FIEBRIG, K. M. VARUM, S. E. HARDING, S. S. DAVIS & B. T. STOKKE (UK)

101 Effect of mixing on enzymatic liquefaction of sago starch
A. B. ARIFF, B. A. ASBI, M. N. AZUDIN & J. F. KENNEDY (Malaysia)

109 Differential degradation of apple cell walls *in vitro* by enzyme extracts from *Botrytis cinerea* and *Glomerella cingulata*
N. BEN-SHALOM, W. S. CONWAY, K. C. GROSS, C. E. SAMS & R. PINTO (USA)

115 Solution characteristics of th xyloglucan extracted from *Detarium senegalense* Gmelin
Q. WANG, P. R. ELLIS, S. B. ROSS-MURPHY & W. BURCHARD (UK)

125 Antiviral activity of chondroitin sulfate against infection by tobacco mosaic virus
Y. SANO (Japan)

131 Viscometric studies on xanthan and galactomannan systems
T. M. B. BRESOLIN, P. C. SANDER, F. REICHER, M. R. SIERAKOWSKI, M. RINAUDO & J. L. M. S. GANTER (Brazil)

139 Succinoglycan and galactoglucan
L. P. T. M. ZEVENHUIZEN (The Netherlands)

145 NMR characterization of *N*-benzyl sulfonated derivatives of chitosan
G. CRINI, G. TORRI, M. GUERRINI, M. MORCELLET, M. WELTROWSKI & B. MARTEL (Italy)

153 Chemical and physical transitions of periodate oxidized potato starch in water
S. VEELAERT, D. de WIT, K. F. GOTLIEB & R. VERHÉ (The Netherlands)

163 Methylation analysis of cellulose sulphates
M. GOHDES, P. MISCHNICK & W. WAGENKNECHT (Germany)

169 Combined effects of planting and harvesting dates on starch properties of sweet potato roots
T. NODA, Y. TAKAHATA, T. SATO, H. IKOMA & H. MOCHIDA (Japan)

177 New hydrophobically modified carboxymethylcellulose derivatives
D. CHARPENTIER, G. MOCANU, A. CARPOV, S. CHAPELLE, L. MERLE & G. MULLER (France)

187 Some properties of branched and linear dextrins from Nägeli amylodextrin
K. KITAHARA, E. EITOKU, T. SUGANUMA & T. NAGAHAMA (Japan)

195 Effect of annealing on the hydrolysis of sago starch granules
W. J. WANG, A. D. POWELL & C. G. OATES (Singapore)

Research Note

203 A neutral seed-gum from *Abutilon indicum*
V. SINGH, U. C. MISHRA, G. C. KHARE & P. C. GUPTA (India)

207 Bibliography

215 Bews and views

217 Calendar

Number 4

219 Purified curdlan and its hydroxyalkyl derivatives: preparation, properties and applications
D. W. RENN

227 Biodegradable films made from low density polyethylene (LDPE), wheat starch and soluble starch for food packaging applications. Part 2
E. PSOMIADOU, I. ARVANITOYANNIS, C. G. BILIADERIS, H. OGAWA and N. KAWASAKI

243 Systemic effect of chitin after intravenous administration to dogs
S. MINAMI, R. MURA-E, Y. OKAMOTO, T. SANEKATA, A. MATSUHASHI, S. TANIOKA and Y. SHIGEMASA

251 The effects of amylose content on the molecular size of amylose, and on the distribution of amylopectin chain-length in maize starches
N. W. H. CHEETHAM & L. TAO

263 Cross-linking of wheat starch and hydroxypropylated wheat starch in alkaline slurry with sodium trimetaphosphate
K. WOO and P. A. SEIB

273 Rheological behavior of heated starch dispersions in excess water: role of starch granule
M. A. RAO, P. E. OKECHUKWU, P. M. S. DA SILVA and J. C. OLIVEIRA

285 Subcutaneous injected chitosan induces systemic activation in dogs
S. MINAMI, M. MASUDA, H. SUZUKI, Y. OKAMOTO, A. MATSUHASHI, K. KATO and Y. SHIGEMASA

295 Bibliography of Carbohydrate Polymers

303 Calendar

ELSEVIER

Carbohydrate Polymers **34** (1997) 457–460
Published by Elsevier Science Ltd
Printed in Great Britain

CONTENTS OF VOLUME 34

Number 1/2

1 Titanium (IV) starch complexes
S. K. TYRLIK, P. TOMASIK, J. W. ANDEREGG & M. BACZKOWICZ (Poland)

9 Physico-chemical studies of chitosan-poly (vinyl alcohol) blends plasticized with sorbitol and sucrose
I. ARVANITOYANNIS, I. KOLOKURIS, A. NAKAYAMA, N. YAMAMOTO & SI AIBA (Greece)

21 Quarternization/cross linking of starch with choline chloride/epichlorohydrin
I. ŠIMKOVIC (Slovakia)

25 Formation of starch films with varying crystallinity
Å. RINDLAV, S. H. D. HULLEMAN & P. GATENHOLM (Sweden)

31 The effects of low molecular weight additives on the viscosities of cassava starch
B. VALLÈS-PÀMIES, F. BARCLAY, S. E. HILL, J. R. MITCHELL, L. A. PATERSON & J. M. V. BLANSHARD (UK)

39 Fickian and case II diffusion of water into amylose: a stray field NMR study
I. HOPKINSON, R. A. L. JONES, S. BLACK, D. M. LANE & P. J. MCDONALD (UK)

49 Molecular mobility of polysaccharide chains in starch investigated by two-dimensional solid-state NMR spectroscopy
A. S. KULIK & J. HAVERKAMP (The Netherlands)

55 Adsorption of α-amylase on dextrin immobilized on kieselguhr or chitin
M. KURAKAKE, M. UEKI, S. HASHIMOTO & T. KOMAKI (Japan)

61 The system of agaroids and carrageenans from the soluble fraction of the tetrasporic stage of the red seaweed *Iridaea undulosa*
C. A. STORTZ, M. R. CASES & A. S. CEREZO (Argentina)

67 Some properties of *ruredzo (Dicerocaryum zanguebarium)* mucilage crosslinked with epichlorohydrin
M. A. N. BENHURA & I. MAVHUDZI-NYAMBAYO (Zimbabwe)

73 Binding of divalent metal coations by sugar-beet pulp
V. M. DRONNET, C. M. G. C. RENARD, M. A. V. AXELOS & J.-F. THIBAULT (France)

83 The influence of drying method on the physical properties of some graft copolymers for drug delivery systems
I. CASTELLANO, M. GURRUCHAGA & I. GOÑI (Spain)

91 Derivatization of cellulose in homogeneous condition: 1-cellulose propionate
E. BIANCHI, E. MARSANO, L. RICCO & C. CONIO (Italy)

95 Effect of D-glucono-1,4-lactone on the production of CMCase, pNPCase and true cellulase by *Clostridium thermocellum*
S. BHAT, J. F. KENNEDY, P. W. GOODENOUGH, E. OWEN & M. K. BHAT (UK)

101 Properties of octanoated starch and its blends with polyethylene
J. ABURTO, S. THIEBAUD, I. ALRIC, E. BORREDON, D. BIKIARIS, J. PRINOS & C. PANAYIOTOU (France)

113 Structural features of sulfated chitosans
A. GAMZAZADE, A. SKLYAR, S. NASIBOV, I. SUSHKOV, A. SHASHKOV & Y. KRUREL (Russia)

117 Bibliography

125 Calendar

Number 3

127 Comparison of molecular association of dextran and periodate-oxidised dextran in aqueous solutions
I. URAZ & A. GÜNER (Turkey)

131 Chemical composition of *O*-(carboxymethyl)-chitins in relation to lysozyme degradation rates
R. J. NORDTVEIT HJERDE, K. M. VÅRUM, H. GRASDALEN, S. TOKURA & O. SMIDSRØD (Norway)

141 Physical and structural properties of barley (1→3), (1→4)-β-D-glucan. III. Formation of aggregates analysed through its viscoelastic and flow behaviour
C. GÓMEZ, A. NAVARRO, C. GARNIER, A. HORTA & J. V. CARBONELL (Spain)

149 The effect of charge density and conformation on the polyelectrolyte complex formation between carrageenan and chitosan
A. HUGERTH, N. CARUS-LELHAM & L. O. SUNDELÖF (Sweden)

157 Evidence of interaction between agarose and guar gum from changes in network response to solvent pertubation
R. B. GARCIA & C. T. ANDRADE (Brazil)

165 Viscoelastic properties of xanthan/galactomannan mixtures: comparison of guar gum with locust bean gum
C. SCHORSCH, C. GARNIER & J.-L. DOUBLIER (France)

177 Soursop pectinesterases: thermostability and effect on cloud stability of soursop juice
S. M. ARBAISAH, B. A. ASBI, A. H. JUNAINAH, B. JAMILAH & J. F. KENNEDY (UK)

183 Construction of supramolecular structures from cyclodextrins and polymers
A. HARADA (Japan)

189 Book Review

191 Bibliography

201 Calendar

Number 4

203 Optimisation of conditions of synthesis of oxidised starch from corn and amaranth for use in film-forming applications
S. CHATTOPADHYAY, R. S. SINGHAL & P. R. KULKARNI (India)

213 Effect of microwave radiation on physico-chemical properties and structure of potato and tapioca starches
G. LEWANDOWICZ, J. FORNAL & A. WALKOWSKI (Poland)

221 Transition behaviour and phase structure of chitin/poly (2-hydroxyethyl methacrylate) composites synthesized by a solution coagulation/bulk polymerization method
Y. MIYASHITA, R. KOBAYASHI, N. KIMURA, H. SUZUKI & Y. NISHIO (Japan)

229 A structural study on fluorinated cellulose: crystallization of fluorinated cellulose by conversion treatments used for cellulose
N. KASUYA, K. IIYAMA, G. MESHITSUKA & T. OKANO (Japan)

235 Simultaneous production of two different gel-forming exopolysaccharides by an *Alteromonas* strain originating from deep sea hydrothermal vents
E. SAMAIN, M. MILAS, L. BOZZI, G. DUBREUCQ & M. RINAUDO (France)

243 Structural studies by NMR spectroscopy of the major oligomers from alkali-degraded arabinogalactan from *Larix occidentalis*
M. MANLEY-HARRIS (USA)

251 Arabinogalactan from Western larch, Part III: alkaline degradation revisited, with novel conclusions on molecular structure
G. R. PONDER & G. N. RICHARDS (USA)

263 On the extrapolation of the melting temperature of dry starch from starch-water data using the Flory-Huggins equation
I. A. FARHAT & J. M. V. BLANSHARD (UK)

267 Theory and applications of DMAC/LICL in the analysis of polysaccharides
A. M. STRIEGEL (USA)

275 Phase and glass transition behaviour of concentrated barley starch-glycerol-water mixtures, a model for thermoplastic starch
P. M. FORSSELL, J. M. MIKKILÄ (Finland), G. K. MOATES & R. PARKER (UK)

283 Physical properties and enzymatic digestibility of acetylated *ae*, *wx*, and normal maize starch
H. LIU, L. RAMSDEN & H. CORKE (Hong Kong)

291 Preparation and study of novel biodegradable blends based on gelatinized starch and 1,4-trans-polyisoprene (gutta percha) for food packaging or biomedical applications
I. ARVANITOYANNIS, I. KOLOKURIS (Greece), A. NAKAYAMA & S.-I. AIBA (Japan)

303 Starch radicals. Part II: Cereals—native starch complexes
W. CIESIELSKI, B. ACHREMOWICZ, P. TOMASIK, M. BACZKOWICZ & J. KORUS (Poland)

309 Structural properties of pectin-gelatin gels. Part II: effect of sucrose/glucose syrup
I. M. AL-RUQAIE, S. KASAPIS & R. ABEYSEKERA (UK)

323 Expolymer production by *Bacillus* species
H. P. GANDHI, R. M. RAY & R. M. PATEL (India)

329 Thermal analysis of polyacrylic acid modified by some glucosamine derivatives
F. A. A. TIRKISTANI (Saudi Arabia)

335 The effect of growth factors on the cytotoxicity of sulphated polysaccharides
M. KUNOU & K. HATANAKA (Japan)

343 A new spectrophotometric method of assay for chitosanase based on Calcofluor white dye binding
D. SOMASHEKAR & R. JOSEPH (India)

347 Physical ageing of wheat flour-based confectionery wafers
S. J. LIVINGS, C. BREACH, A. M. DONALD & A. C. SMITH (UK)

357 Interpretation of small angle X-ray scattering from starch on the basis of fractals
T. SUZUKI, A. CHIBA & T. YANO (Japan)

365 Rheology and microstructure of Ca- and Na-κ-carrageenan and locust bean gum gels
L. LUNDIN & A.-M. HERMANSSON (Sweden)

377 Preparation of gum from Tamarind seed—and its application in the preparation of composite material with sisal fibre
K. VELURAJA, S. AYYALNARAYANASUBBURAJ & A. J. PAULRAJ (India)

381 Study of lipoprotein sorption by some sulfoderivatives of chitosan
A. I. GAMZAZADE, S. M. NASIBOV & S. V. ROGOZHIN (Russia)

385 Viscosity of locust bean, guar and xanthan gum solutions in the Newtonian domain: a critical examination of the log $(\eta_{sp})_0$—log $C[\eta]_0$ master curves
B. LAUNAY, G. CUVELIER & S. MARTINEZ-REYES (France)

397 Chemical modifications of carboxylated chitosan
L. E. LILLO & B. MATSUHIRO (Chile)

403 Some properties of Cassava Mesocarp carbohydrates—low density polyethylene blends
O. AKARANTA & G. E. OKU (Nigeria)

407 Book Reviews

421 Abstracts

437 Erratum

439 Bibliography

449 News Release

451 Calendar

453 Contents of Volume 33

457 Contents of Volume 34